


KIRBY

Flat file cms



INSTALLATION

A screenshot of a web browser window displaying an installation form. The URL in the address bar is `localhost/panel/installation`. The form consists of three fields: Email, Password, and Language, each with a required asterisk (*). The Email field contains `mail@example.com`. The Password field is currently empty. The Language field is set to `Deutsch`. Below the form is a green button labeled `Install` with a checkmark icon.

Email *

mail@example.com

Password *

Password ...

Language *

Deutsch

Install

EXPLORER

...

KIRBY_DEMO


- > content
- > kirby
- > media
- ✓ site
 - ✓ accounts
 - ✓ dWe274Dx
 - .htpasswd
- index.php
- user.txt
- index.html
- > blueprints
- > cache
- > sessions
- > snippets
- > templates

index.php X

site > accounts > dWe274Dx > index.php

```
1  <?php
2
3  return [
4      'email' => 'admin@leemia.de',
5      'language' => 'de',
6      'name' => '',
7      'role' => 'admin'
8 ];
```

CONTENT STRUCTURE



EXPLORER

...

✓ KIRBY_DEMO



✓ content

> error

> home

≡ site.txt

PAGE CONTENT

A screenshot of a web-based page editor interface, likely a CMS, displayed in a browser window. The URL in the address bar is `localhost/panel/pages/home`. The page title is "Site Title / Home".

The main content area shows the word "Home" in large bold letters, with three small icons (link, gear, and list) to its right and a "Ungelisted" status.

On the left, there is a "Text" section containing a rich text editor toolbar with icons for bold, italic, underline, etc., and a text area containing the text "This is a demo.".

On the right, there are two sections: "Pages" and "Files". Both sections show a dashed box with the message "Keine Seiten" and "Keine Dateien" respectively, indicating no content has been added.

The browser's top bar includes standard navigation icons (back, forward, search, refresh), a bookmark icon, and several status icons (including a shield, a triangle with a '1', and a gear).

EXPLORER

KIRBY_DEMO

content

> error

home

home.txt


site.txt

> kirby

> media

site

...



home.txt X

content > home > home.txt

```
1 Title: Home
2
3 ----
4
5 Text: This is a demo.
6
7 ----
8
9 Uuid: Fo4BjjAUR1nCZToa
```

The image shows a screenshot of a Kirby CMS project in a code editor. The left sidebar lists files and folders under the root directory 'KIRBY_DEMO'. The file 'default.yml' is selected and highlighted with a blue bar at the top of the right-hand code editor pane.

EXPLORER

- ✓ KIRBY_DEMO
 - > content
 - > kirby
 - > media
 - ✓ site
 - > accounts
 - ✓ blueprints
 - ✓ pages
 - ! default.yml
 - ! site.yml
 - > cache
 - > sessions
 - > snippets
 - > templates
 - ⚙ .editorconfig
 - ❖ .gitignore
 - ⚙ .htaccess
 - { composer.json
 - /docker-compose.yml

...

home.txt ! default.yml X

```
site > blueprints > pages > ! default.yml
1 title: Default Page
2
3 columns:
4   main:
5     width: 2/3
6     sections:
7       fields:
8         type: fields
9         fields:
10          text:
11            type: textarea
12            size: huge
13 sidebar:
14   width: 1/3
15   sections:
16     pages:
17       type: pages
18       template: default
19     files:
20       type: files
21
```

TEMPLATE

The screenshot shows a code editor interface with a dark theme. On the left is the Explorer sidebar, which lists the project structure under 'KIRBY_DEMO'. The 'templates' folder is expanded, showing 'default.php' selected, indicated by a blue bar at the bottom of the list. The main editor area shows the file 'default.php' with the following code:

```
site > templates > default.php > div
1  <h1><?= $page->title() ?></h1>
2
3  <div>
4      <?= $page->text() ?>
5  </div>
```

 Home | Site Title

 localhost



< > C



 localhost

Home


This is a demo.




<https://tenor.com/de/view/you-got-it-dude-michelle-tanner-full-house-gif-12872466>

ADVANCED

Blog example



DETAIL PAGE TYPE BLUEPRINT



The image shows a screenshot of a Kirby CMS interface. On the left, the Explorer sidebar displays the project structure under 'KIRBY_DEMO'. Key items include 'content', '_drafts', 'error', 'home', 'site.txt', 'kirby', 'media', 'site' (with 'accounts', 'blueprints', 'pages', 'blog-post.yml', 'default.yml', and 'post.yml'), 'site.yml', 'cache', 'sessions', 'snippets', and 'templates'. The 'post.yml' file is currently selected and highlighted with a blue bar at the bottom of the list.

The main area shows the content of the 'post.yml' file:

```
! post.yml
site > blueprints > pages > ! post.yml
1 title: Blog Post
2
3 tabs:
4   main:
5     label: Content
6     icon: dashboard
7     fields:
8       text:
9         type: textarea
10      files:
11        type: files
12 meta:
13   label: Meta
14   icon: dashboard
15   fields:
16     date:
17       type: date
18       display: dd.mm.YYYY
19       default: today
20     tags:
21       label: Tags
22       type: tags
```

FIELDS TYPES

Panel form fields

Open Unlisted Settings

Checkboxes

Option A
 Option B
 Option C

Date

Publish on: 2019-01-08 22:00

Email

hello@example.com

Files

bird-reynolds.jpg dumbo.jpg free-wheely.jpg

Range

Budget \$ 2,500

Select

Notes

Structure

| # | Title | Icon | Text | Link | Link Text |
|---|---------|-------------|-----------------|--|---------------|
| 1 | Contact | contact.svg | Contact us f... | https://example... | Super Comp... |
| 2 | Forum | forum.svg | Got stuck? ... | https://example... | Kirby Forum |

Tags

Kirby CMS Fields

Tel

Call toll-free 0123 456789

Text field

A field for short texts like a title.

Textarea

A field for a long texts with Markdown and KirbyTags.
(email: support@getkirby.com text: Contact Kirby support)


Toggle

Toggle text https://getkirby.com

User

 admin@kirby3.com

LISTING PAGE TYPE BLUEPRINT



The screenshot shows a Kirby CMS file explorer interface. On the left, the 'EXPLORER' sidebar lists the project structure under 'KIRBY_DEMO'. Key items include 'content', 'kirby', 'media', 'site', 'accounts', 'blueprints' (which is expanded), and 'pages'. Within 'blueprints', there are files for 'blog-posts', 'default', 'post', and 'site'. Other visible files include '.editorconfig' and '.gitignore'. The right side of the interface shows the content of the selected file, 'blog-posts.yml'.

! blog-posts.yml ×

```
site > blueprints > pages > ! blog-posts.yml
1   title: Blog
2
3   < sections:
4     < pages:
5       type: pages
6       label: blog posts
7       sortBy: datum desc
8       template: post
9       search: true
10      limit: 100
11      layout: table
12      image: false
13      < columns:
14        < title:
15          label: Titel
16        < tags:
17          label: Kategorie
18        < date:
19          label: Datum
20          display: DD.MM.YYYY
```

CREATE OVERVIEW

The screenshot shows a web-based site builder interface with a dark-themed background. A large, semi-transparent watermark of the word "CREATE" in white is visible across the center. In the top left corner, there's a smaller watermark of the word "OVERVIEW" in white.

The main area is a modal window titled "Site Title". Inside the modal, there are several input fields and buttons:

- A dropdown menu labeled "Vorlage *" with "Blog" selected.
- An input field labeled "Titel *" containing "posts overview".
- An input field labeled "URL-Anhang *" containing "posts".
- Below the URL field, the path "/posts" is displayed.
- At the bottom, there are two buttons: "Abbrechen" (Cancel) and "Anlegen als "Entwurf"" (Create as Draft), with the latter being green and checked.

The background of the modal shows a dark theme with a sidebar on the left containing "Pages" and icons for "Error" and "Home". The address bar at the top of the browser window shows "localhost/panel/site".

< > C <localhost/panel/pages/posts>

Q Suchen Site Title / posts overview

Site Accounts System

posts overview

Entwurf

blog posts Filter Hinzufügen

| # | Titel | Kategorie | Datum | | |
|---|-----------------------------|-----------|------------|--|--|
| 1 | Post 2 | | 27.04.2025 | | |
| 2 | post 3 | | 27.04.2025 | | |
| 3 | Test post 1 | Tag1 | 01.04.2025 | | |

CREATE POST

Titel *

11

Test post 1



URL-Anhang *

test-post-1



/posts/test-post-1

✖ Abbrechen

✓ Anlegen als "Entwurf"

A screenshot of a web-based content management system, likely Craft CMS, showing a post edit screen. The interface has a dark theme with purple abstract shapes at the top and bottom.

The header includes a back/forward/cancel button, a bookmark icon, a URL bar showing `localhost/panel/pages/posts+test-post-1?tab=meta`, and a toolbar with search, export, import, and other icons.

The left sidebar contains a search bar and navigation links: "site" (selected), "Accounts", and "System".

The main content area shows the title "Test post 1" and two tabs: "Content" and "Meta" (selected). To the right are edit, settings, and preview buttons, along with a red "Entwurf" (Draft) status indicator.

The "Content" tab displays a "Date" field with the value "01.04.2025" and a calendar icon. The "Meta" tab displays a "Tags" field containing "Tag1" with a delete "x" icon and a location pin icon.

localhost/panel/pages/posts

Site Title / posts overview

posts overview

Wähle einen neuen Status aus *

- Entwurf
Die Seite ist im Entwurfsmodus und ist nur nach Anmeldung oder über den geheimen Link sichtbar
- Ungelistet
Die Seite kann nur über die URL aufgerufen werden
- Öffentlich
Die Seite ist öffentlich für alle

Filter Hinzufügen

| # | Titel | Aktionen |
|---|-----------------------------|----------|
| 1 | Post 2 | ... |
| 2 | post 3 | ... |
| 3 | Test post 1 | ... |

Änderungen Dein Account Abmelden

EXPLORER

...

content > 1_posts > 1_test-post-1 > post.txt

```
1 Title: Test post 1
2 -----
3 -----
4
5 Text: Example
6
7 -----
8
9 Files:
10 -----
11 -----
12
13 Date: 2025-04-01
14
15 -----
16
17 Tags: Tag1
18
19 -----
```

ADVANCED

Blog example - Frontend



SNIPPETS

The screenshot shows a code editor interface with a dark theme. On the left is the Explorer sidebar, which lists project files and folders. The 'snippets' folder is expanded, and 'nav.php' is selected, highlighted with a blue bar at the bottom of the list. The main workspace shows two tabs: 'default.php' and 'nav.php'. The 'nav.php' tab is active, displaying Kirby template code. The code uses PHP syntax to generate a navigation menu. It includes logic to check if items are available and to handle active items. The code is numbered from 1 to 22.

```
site > snippets > nav.php > nav > ul > li > a1
1  <?php
2
3  // main menu items
4  $items = $pages->listed();
5
6  // only show the menu if items are available
7  if ($items->isNotEmpty()):
8
9  ?>
10 <nav>
11   <ul>
12     <?php foreach ($items as $item): ?>
13       <li>
14         <a<?php e($item->isOpen(), ' class="active"' ) ?>
15           href="<?= $item->url() ?>"
16           <?= $item->title()->html() ?>
17         </a>
18       </li>
19     <?php endforeach ?>
20   </ul>
21 </nav>
22 <?php endif ?>
```

EXPLORER

...

KIRBY_DEMO

> content

> kirby

> media

✓ site

> accounts

> blueprints

> cache

> sessions

✓ snippets

 nav.php

✓ templates

 default.php

 .editorconfig

 .gitignore

 .htaccess

 composer.json

default.php X nav.php

site > templates > default.php > ...

```
1  <h1><?= $page->title() ?></h1>
2
3  <?= snippet('nav') ?>
4
5  <div>
6  |  <?= $page->text() ?>
7  </div>
```

LIST POSTS

The image shows a code editor interface with a dark background and purple highlights. On the left is an Explorer sidebar with a tree view of a 'KIRBY_DEMO' site structure. The 'templates' folder contains two files: 'blog-posts.php' (selected) and 'default.php'. Other files like '.editorconfig' and '.gitignore' are also listed. The main editor area shows the PHP template code for 'blog-posts.php'. The code uses Kirby's templating syntax, including snippets and foreach loops, to generate an unordered list of posts.

```
site > templates > blog-posts.php > ul
1  <h1><?= $page->title() ?></h1>
2
3  <?= snippet('nav') ?>
4
5  <hr />
6
7  <ul>
8      <?php foreach ($page->children() as $subpage): ?>
9          <li>
10             <a href="<?= $subpage->url() ?>">
11                 <?= html($subpage->title()) ?>
12             </a>
13         </li>
14     <?php endforeach ?>
15 </ul>
```

< > C



localhost/posts

posts overview

- [posts overview](#)
- [Test post 1](#)

POSTS DETAILS

The screenshot shows a code editor interface with a dark theme. On the left is the Explorer sidebar, which lists the project structure under 'KIRBY_DEMO'. The 'post.php' file is selected and highlighted with a blue bar at the bottom of the sidebar. The main area shows the code for 'post.php'.

EXPLORER

...

site > templates > post.php > ...

```
1  <h1><?= $page->title() ?></h1>
2
3  <?= $page->date()->toDate('d.m.Y') ?>
4
5  <hr />
6
7  <div>
8  |  <?= $page->text() ?>
9  </div>
10
11 <h2>Tags</h2>
12
13 <ul>
14  |  <?php foreach ($page->tags()->split() as $category): ?>
15  |  |  <li><?= $category ?></li>
16  |  <?php endforeach ?>
17 </ul>
```

< > C



localhost/posts/test-post-1

Test post 1

01.04.2025

Example

Tags

- Tag1

MORE?

config and controllers



CONFIG

The screenshot shows the Kirby CMS code editor interface. The left sidebar displays the project structure under 'KIRBY_DEMO': content, kirby, media, site (accounts, blueprints, cache), config (config.php, sessions, snippets, templates). The 'config.php' file is selected and highlighted with a blue bar at the bottom of the sidebar.

The top navigation bar shows tabs for 'post.php' and 'config.php'. The current file path is 'site > config > config.php'. The code editor contains the following PHP code:

```
<?php  
return [  
    'weather-api' => 'https://goweather.xyz/weather/Leipzig'  
];
```

CONTROLLER

The screenshot shows a code editor interface with a dark theme. The left sidebar is titled "EXPLORER" and lists the project structure under "KIRBY_DEMO". The "controllers" folder contains "blog-posts.php", which is currently selected and highlighted with a blue bar at the bottom of the sidebar. The top navigation bar shows three tabs: "config.php", "blog-posts.php .../controllers", and "blog-posts.php .../templates". The main editor area displays the PHP code for the "blog-posts.php" controller:

```
1 <?php
2
3 use Kirby\Toolkit\Config;
4
5 return function ($kirby, $site, $pages, $page) {
6     $api = Config::get('weather-api');
7
8     $result = file_get_contents($api);
9     $weather = json_decode($result, true);
10
11    return [
12        'temperature' => $weather['temperature']
13    ];
14}
15
```

The image shows a code editor interface with a dark purple background featuring abstract wavy patterns. The left sidebar is titled "EXPLORER" and lists a project structure under "KIRBY_DEMO". The "templates" folder contains "blog-posts.php", which is currently selected and highlighted with a blue bar at the bottom of the sidebar. Other files listed include "default.php" and "post.php", along with configuration and session files. The top navigation bar shows tabs for "config.php", "blog-posts.php .../controllers", and "blog-posts.php .../templates", with the third tab being the active one. The main editor area displays the following Kirby template code:


```
site > templates > blog-posts.php > ...
1  <h1><?= $page->title() ?></h1>
2
3  <?= snippet('nav') ?>
4
5  <hr />
6
7  <ul>
8      <?php foreach ($page->children() as $subpage): ?>
9          <li>
10             <a href="= $subpage-&gt;url() ?&gt;"&gt;
11                 &lt;?= html($subpage-&gt;title()) ?&gt;
12             &lt;/a&gt;
13         &lt;/li&gt;
14     &lt;?php endforeach ?&gt;
15 &lt;/ul&gt;
16
17 Leipzig: &lt;?= $temperature ?&gt;</pre
```

posts overview

- [posts overview](#)
 - [Test post 1](#)
-

Leipzig: +10 °C

BLOCKS



Test post 1



Öffentlich

Content

Meta

Content

Hinzufügen ...

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Headline

Bild



Test post 1

Content Meta


Content

Lorem ipsum dolor sit amet, cons
diam voluptua. At vero eos et acc
sit amet. Lorem ipsum dolor sit a
erat, sed diam voluptua. At vero e
ipsum dolor sit amet.

Headline

Bild

Files



testbild.jpg

Bild

Bild

testbild.jpg

< >

Hochladen

Auswählen



Verlinkung



Noch keine Information


optional

Test post 1

 Content  Meta

Content

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusamus et iusto odio dignissim qui blandit praesent luptatum zzril delenit diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusamus et iusto odio dignissim qui blandit praesent luptatum zzril delenit diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusamus et iusto odio dignissim qui blandit praesent luptatum zzril delenit diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua.

 Headline

 Bild

H1 Headline

Headline

Headline

Subheadline

Sub headline

optional

Test post 1

Content Meta

Content

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Headline

Bild

Text

Text

591

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Ausrichtung

links

zentriert

< > ⌂

localhost/posts/test-post-1

Test post 1


01.04.2025

Placeholder text (Lorem ipsum) repeated twice.

Headline

Sub headline

PAGE TYPE BLUEPRINTS



The screenshot shows the Kirby file browser interface. On the left, there's a tree view of the site structure under 'KIRBY_DEMO'. The 'blueprints' folder contains 'blocks', 'fields', and 'pages'. The 'pages' folder contains 'blog-posts.yml', 'default.yml', and 'post.yml', with 'post.yml' currently selected and highlighted in blue. Other files like 'site.yml', 'cache', 'config', and 'controllers' are also listed.

On the right, the file content for 'post.yml' is displayed in a code editor:

```
site > blueprints > pages > ! post.yml
1 title: Blog Post
2
3 tabs:
4   main:
5     label: Content
6     icon: dashboard
7     fields:
8       text:
9         type: blocks
10        fieldsets:
11          - headline
12          - text
13          - image
14        files:
15          type: files
16      meta:
17        label: Meta
18        icon: dashboard
19        fields:
20          date:
```

BLOCK PLUEPRINTS

The image shows a Kirby CMS file structure on the left and a code editor on the right.

File Structure:

- KIRBY_DEMO
 - content
 - docker
 - kirby
 - media
 - site
 - accounts
 - blueprints
 - blocks
 - headline.yml
 - image.yml
 - text.yml
 - pages
 - site.yml
 - cache
 - config
 - controllers
 - sessions
 - snippets
 - templates
 - .editorconfig

Code Editor (site > blueprints > blocks > ! image.yml):

```
1 name: Bild
2 icon: image
3 preview: false
4 fields:
5   image:
6     label: Bild
7     type: files
8     query: model.images
9     multiple: false
10
11 imagelink:
12   label: Verlinkung
13   type: object
14   help: optional
15   fields:
16     link:
17       type: link
18       options:
19         - page
20         - url
21         - file
22   target:
23     type: toggle
24     text: in neuem Fenster öffnen?
```

BLOCK BLUEPRINTS

KIRBY_DEMO


- > content
- > docker
- > kirby
- > media
- ✓ site
 - > accounts
 - ✓ blueprints
 - ✓ blocks
 - ! headline.yml
 - ! image.yml
 - ! text.yml
 - > fields
 - > pages



site > blueprints > blocks > ! text.yml

```
1  name: Text
2  icon: text
3  fields:
4    text: fields/text
5    alignment: fields/alignment
```

FIELD PLUEPRINTS



The screenshot shows a file browser interface for a Kirby CMS project named 'KIRBY_DEMO'. The left sidebar lists project structure and files:

- > content
- > docker
- > kirby
- > media
- ✓ site
 - > accounts
 - ✓ blueprints
 - > blocks
 - ✓ fields
 - ! alignment.yml
 - ! text.yml
 - > pages
 - ! site.yml
 - > cache
 - > config

The file 'alignment.yml' is highlighted with a blue bar at the bottom of the sidebar.

The right pane displays the YAML configuration for the 'alignment' field blueprint:

```
site > blueprints > fields > ! alignment.yml
```

```
1 type: toggles
2 label: Ausrichtung
3 default: left
4 options:
5   - value: left
6     text: links
7     icon: text-left
8   - value: centered
9     text: zentriert
10    icon: text-center
```

SNIPPETS


The screenshot shows a Kirby CMS file browser interface. On the left, there's a sidebar with a tree view of the site structure:

- KIRBY_DEMO
 - site
 - > blueprints
 - > cache
 - > config
 - > controllers
 - > sessions
 - snippets
 - blocks
 - headline.php
 - image.php
 - text.php
 - nav.php
 - > templates
 - .editorconfig
 - .gitignore
 - .htaccess

site > snippets > blocks > headline.php > div.content-block.headline

```
1  <div class="content-block headline">
2
3      <h2>
4          <?= $block->text() ?>
5      </h2>
6
7      <?php if ($block->subheadline()->isNotEmpty()): ?>
8          <h3>
9              <?= $block->subheadline() ?>
10             </h3>
11         <?php endif ?>
12
13     </div>
```

SNIPPETS



The screenshot shows a Kirby CMS project structure on the left and a code editor on the right.

Project Structure:

- KIRBY_DEMO
 - site
 - > blueprints
 - > cache
 - > config
 - > controllers
 - > sessions
 - snippets
 - blocks
 - headline.php
 - image.php**
 - text.php
 - nav.php
 - > templates
 - .editorconfig
 - .gitignore
 - .htaccess
 - { composer.json
 - docker-compose.yml
 - index.php
 - README.md

Code Editor (image.php snippet):

```
site > snippets > blocks > 🐘 image.php > 📁 div.content-block.image > 📁 a > 📁 img
1  <?php if ($image = $block->image()->toFile()): ?>
2      <?php $linkObject = $block->imagelink()->toObject() ?>
3
4      <div class="content-block image">
5          <?php if ($linkObject->link()->isNotEmpty()): ?>
6              <a
7                  href=<?= $linkObject->link()->toUrl() ?>
8                  <?= $linkObject->target()->toBool() === true ? 'tar
9              <?php endif ?>
10
11             <img
12                 src=<?= $image->resize(1000)->url() ?>
13                 srcset=<?= $image->srcset() ?>
14                 alt=<?= $image->alt() ?>
15                 title=<?= $image->title() ?>
16                 sizes="100vw">
17
18                 <?php if ($linkObject): ?>
19                 </a>
20             <?php endif ?>
21
22         </div>
23     <?php endif ?>
```

TEMPLATE

The screenshot shows a code editor interface with a dark theme. On the left is a sidebar with a tree view of a Kirby project structure:

- KIRBY_DEMO
 - > content
 - > docker
 - > kirby
 - > media
 - ✓ site
 - > accounts
 - > blueprints
 - > cache
 - > config
 - > controllers
 - > sessions
 - > snippets
 - ✓ templates
 - 🐘 blog-posts.php
 - 🐘 default.php
 - 🐘 post.php
- .editorconfig


The right pane displays the content of the selected file, `post.php`:

```
site > templates > 🐘 post.php > ...
1  <h1><?= $page->title() ?></h1>
2
3  <?= $page->date()->toDate('d.m.Y') ?>
4
5  <hr />
6
7  <?php foreach ($page->text()->toBlocks() as $block): ?>
8  |   <?php snippet('blocks/' . $block->type(), [
9  |       'block' => $block
10 |   ]) ?>
11 |   <?php endforeach ?>
12 |
13 <h2>Tags</h2>
14
15 <ul>
16 |   <?php foreach ($page->tags()->split() as $category): ?>
17 |       <li><?= $category ?></li>
18 |   <?php endforeach ?>
19 </ul>
```

SITE BLUEPRINT



BLUEPRINT



```
site > blueprints > ! site.yml
2
3 tabs:
4 pages:
5   label: Seiten
6   icon: page
7   sections:
8     pages:
9       type: pages
10    headline: Seiten
11 settings:
12   label: Einstellungen
13   icon: cog
14   sections:
15     fields:
16       type: fields
17     fields:
18       hlcontact:
19         label: Kontakt
20         type: headline
21     phone:
22       label: Telefonnummer
23       type: link
24     address:
25       label: Adresse
26       type: text
```

PANEL

Suchen

Site Title

Website

Accounts

System

Site Title

Seiten Einstellungen



Kontakt

Telefonnummer

Telefon

+49123456789

Adresse

test street 1

Änderungen

Dein Account

FILE

The screenshot shows a Kirby CMS interface with the following details:

- EXPLORER** sidebar:
 - KIRBY_DEMO
 - content
 - 1_posts
 - error
 - home
 - site.txt (selected)
 - docker
 - kirby
 - media
 - site
 - accounts
 - blueprints
 - cache
- Toolbar**: Includes icons for file operations like New, Open, Save, and Undo.
- File List**: Shows two files:
 - ! site.yml
 - site.txt (selected)
- Content Editor**: Displays the contents of site.txt:

```
content > site.txt
1 Title: Site Title
2
3 -----
4
5 Phone:
6
7 -----
8
9 Address: test street 1
```

TEMPLATE

```
echo $site->address()
```

- <https://getkirby.com/docs/reference/panel/fields>
- <https://getkirby.com/docs/cookbook/navigation/menu>
- <https://getkirby.com/docs/reference/objects/cms/page>
- <https://getkirby.com/docs/reference/panel/fields/tags>
- <https://getkirby.com/docs/reference/panel/fields/block>

THANKS

print view

